ZMAX

PCR TIRE
CATALOGUE

MAX ALL THE ROAD



HIGH-PERFORMANCE TIRE

MAX

ALL THE ROAD

ZMAX

CHOOSE YOUR ZMAX TIRE

Choose your tires based on your vehicle

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice

Sport

Economy

Control

Endurance


01 HP
LANDGEMA
PASSENGER TIRE


03 HP
LY166
PASSENGER TIRE


05 HP
LY688
PASSENGER TIRE


15 A/S
X-SPIDER+ A/S
ALL SEASON TIRE


17 EV
X-MAXXTON EV
EV TIRE


11 A/S
X-SPIDER A/S
ALL SEASON TIRE


19 VAN
VANMEJOR C30
ALL SEASON TIRE


23 H/T
GALLOPRO H/T
HIGHWAY TERRAIN TIRE


21 VAN
MAXWAYS 52
ALL SEASON TIRE


27 R/T
RUGGED TERRAIN
RUGGED TERRAIN TIRE


07 UHP
ZEALION
PASSENGER TIRE


31 HP
WINTERHAWKE I
WINTER TIRE


41 UHP
WINTERNOVA STUD II
STUDDED TIRE


35 UHP
WINTERHAWKE II
WINTER TIRE


37 VAN
ICEPIONEER 989
WINTER TIRE


39 HP
WINTERNOVA STUD I
STUDDED TIRE


25 A/T
TERRA XPLORER C2 A/T
ALL TERRAIN TIRE


45 SUV
WINTERNOVA STUD III
STUDDED TIRE


29 M/T
MAXATRAVES M/T
MUD TERRAIN TIRE

CATALOGUE

PASSENGER TIRE

LANDGEMA	P--01
LY166	P--03
LY688	P--05
ZEALION	P--07

ALL SEASON TIRE

X-SPIDER A/S	P--11
X-SPIDER+ A/S	P--15

EV TIRE

X-MAXXTON EV NEW	P--17

VAN TIRE

VANMEJOR C30	P--19
MAXWAYS 52	P--21

SUV 4X4

GALLOPRO H/T	P--23
TERRA XPLORER C2 A/T	P--25
RUGGED TERRAIN NEW	P--27
MAXATRAVES M/T	P--29

WINTER TIRE

WINTERHAWKE I	P--31
WINTERHAWKE II	P--35
ICEPIONEER 989	P--37

STUDDED TIRE

WINTERNOVA STUD I NEW	P--39
WINTERNOVA STUD II NEW	P--41
WINTERNOVA STUD III NEW	P--45





LANDGEMA

MAX ALL THE ROAD

HP

SERIES
50 ~ 80

INCH
13 ~ 16

SPEED SYMBOL
T ~ (W)

UTQG
400/A/A

COMFORT

MUTE

WEAR RESISTING

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
155/65R13	73T	4.50B	157	532	365	805	300/44	400/A/A	BSW	YES	YES	YES
155/70R13	75T	4.50B	157	548	387	853	300/44	400/A/A	BSW	YES	YES	YES
155/80R13	79T	4.50B	157	578	437	963	300/44	400/A/A	BSW	YES	YES	YES
165/65R13	77T	5.00B	170	544	412	908	300/44	400/A/A	BSW	YES	YES	YES
175/70R13	82T	5.00B	177	576	475	1047	300/44	400/A/A	BSW	YES	YES	YES
155/65R14	75T	4.50B	157	558	387	853	300/44	400/A/A	BSW	YES	YES	YES
165/60R14	75H	5.00B	170	554	387	853	300/44	400/A/A	BSW	YES	YES	YES
165/70R14	85TXL	5.00B	170	588	515	1135	340/50	400/A/A	BSW	YES	YES	YES
165/70R14	81T	5.00B	170	588	462	1019	300/44	400/A/A	BSW	YES	YES	YES
175/60R14	79H	5.00B	177	566	437	963	300/44	400/A/A	BSW	YES	YES	YES
175/65R14	86TXL	5.00B	177	584	530	1168	340/50	400/A/A	BSW	YES	YES	YES
175/65R14	82H	5.00B	177	584	475	1047	300/44	400/A/A	BSW	YES	YES	YES
175/70R14	88TXL	5.00B	177	602	560	1235	340/50	400/A/A	BSW	YES	YES	YES
175/70R14	84T	5.00B	177	602	500	1102	300/44	400/A/A	BSW	YES	YES	YES
185/50R14	77V	6J	194	542	412	908	300/44	400/A/A	BSW	YES	YES	YES
185/55R14	80H	6J	194	560	450	992	300/44	400/A/A	BSW	YES	YES	YES
185/60R14	82H	5 1/2J	189	578	475	1047	300/44	400/A/A	BSW	YES	YES	YES
185/65R14	86H	5 1/2J	189	596	530	1168	300/44	400/A/A	BSW	YES	YES	YES
185/70R14	88T	5 1/2J	189	616	560	1235	300/44	400/A/A	BSW	YES	YES	YES
195/65R14	89H	6J	201	610	580	1279	300/44	400/A/A	BSW	YES	YES	YES
155/60R15	74T	4.50B	157	567	375	827	300/44	400/A/A	BSW	YES	YES	YES
165/60R15	81HXL	5.00B	170	579	462	1019	340/50	400/A/A	BSW	YES	YES	YES
165/65R15	81H	5J	170	595	462	1019	300/44	400/A/A	BSW	YES	YES	YES
175/55R15	77H	5 1/2J	182	573	412	908	300/44	400/A/A	BSW	YES	YES	YES
175/60R15	81H	5J	177	591	462	1019	300/44	400/A/A	BSW	YES	YES	YES
175/65R15	84H	5J	177	609	500	1102	300/44	400/A/A	BSW	YES	YES	YES
185/55R15	82V	6J	194	585	475	1047	300/44	400/A/A	BSW	YES	YES	YES
185/60R15	88HXL	5 1/2J	189	603	560	1235	340/50	400/A/A	BSW	YES	YES	YES
185/60R15	84H	5 1/2J	189	603	500	1102	300/44	400/A/A	BSW	YES	YES	YES
185/65R15	88H	5 1/2J	189	621	560	1235	300/44	400/A/A	BSW	YES	YES	YES
195/50R15	82V	6J	201	577	475	1047	300/44	400/A/A	BSW	YES	YES	YES
195/55R15	85V	6J	201	595	515	1135	300/44	400/A/A	BSW	YES	YES	YES
195/60R15	88V	6J	201	615	560	1235	300/44	400/A/A	BSW	YES	YES	YES
195/60R15	88H	6J	201	615	560	1235	300/44	400/A/A	BSW	YES	YES	YES
195/65R15	95TXL	6J	201	635	690	1521	340/50	400/A/A	BSW	YES	YES	YES
195/65R15	91V	6J	201	635	615	1356	300/44	400/A/A	BSW	YES	YES	YES
205/60R15	91V	6J	209	627	615	1356	300/44	400/A/A	BSW	YES	YES	YES
205/65R15	94V	6J	209	647	670	1477	300/44	400/A/A	BSW	YES	YES	YES
215/65R15	96H	6 1/2J	221	661	710	1565	300/44	400/A/A	BSW	YES	YES	YES
175/50R16	77V	5 1/2J	182	582	412	908	300/44	400/A/A	BSW	YES	YES	YES
185/50R16	81V	6J	194	592	462	1019	300/44	400/A/A	BSW	YES	YES	YES
185/55R16	87VXL	6J	194	610	545	1202	340/50	400/A/A	BSW	YES	YES	YES
195/50R16	88VXL	6J	201	602	560	1235	340/50	400/A/A	BSW	YES	YES	YES
195/55R16	91VXL	6J	201	620	615	1356	340/50	400/A/A	BSW	YES	YES	YES
205/50R16	91WXL	6 1/2J	214	612	615	1356	340/50	400/A/A	BSW	YES	YES	YES
205/55R16	94WXL	6 1/2J	214	632	670	1477	340/50	400/A/A	BSW	YES	YES	YES
205/55R16	91V	6 1/2J	214	632	615	1356	300/44	400/A/A	BSW	YES	YES	YES
205/60R16	96VXL	6J	209	652	710	1565	340/50	400/A/A	BSW	YES	YES	YES
205/60R16	92V	6J	209	652	630	1389	300/44	400/A/A	BSW	YES	YES	YES
215/55R16	97WXL	7J	226	642	730	1609	340/50	400/A/A	BSW	YES	YES	YES
215/60R16	99HXL	6 1/2J	221	664	775	1709	340/50	400/A/A	BSW	YES	YES	YES
215/60R16	95V	6 1/2J	221	664	690	1521	300/44	400/A/A	BSW	YES	YES	YES
215/65R16	98H	6 1/2J	221	686	750	1653	300/44	400/A/A	BSW	YES	YES	YES
225/55R16	99WXL	7J	233	654	775	1709	340/50	400/A/A	BSW	YES	YES	YES
225/60R16	102VXL	6 1/2J	228	676	850	1874	340/50	400/A/A	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice





LY166

MAX ALL THE ROAD

HP

SERIES
60 ~ 80

INCH
12 ~ 15

SPEED SYMBOL
T ~ (H)

UTQG
420/A/A

COMFORT

MUTE

WEAR RESISTING

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
145/70R12	69T	4.50B	150	509	325	716	300/44	420/A/A	BSW	YES	YES	YES
155/65R13	73T	4.50B	157	532	365	805	300/44	420/A/A	BSW	YES	YES	YES
155/70R13	75T	4.50B	157	548	387	853	300/44	420/A/A	BSW	YES	YES	YES
155/80R13	79T	4.50B	157	578	437	963	300/44	420/A/A	BSW	YES	YES	YES
165/65R13	77T	5.00B	170	544	412	908	300/44	420/A/A	BSW	YES	YES	YES
165/70R13	79H	5.00B	170	562	437	963	300/44	420/A/A	BSW	YES	YES	YES
165/70R13	79T	5.00B	170	562	437	963	300/44	420/A/A	BSW	YES	YES	YES
165/80R13	83T	4.50B	165	594	487	1074	300/44	420/A/A	BSW	YES	YES	YES
175/60R13	77T	5.00B	177	540	412	908	300/44	420/A/A	BSW	YES	YES	YES
175/70R13	82T	5.00B	177	576	475	1047	300/44	420/A/A	BSW	YES	YES	YES
175/75R13	84T	5.00B	177	594	500	1102	300/44	420/A/A	BSW	YES	YES	YES
185/70R13	86T	5.50B	189	590	530	1168	300/44	420/A/A	BSW	YES	YES	YES
155/65R14	75T	4 1/2J	157	558	387	853	300/44	420/A/A	BSW	YES	YES	YES
165/60R14	75H	5J	170	554	387	853	300/44	420/A/A	BSW	YES	YES	YES
165/65R14	79T	5J	170	570	437	963	300/44	420/A/A	BSW	YES	YES	YES
165/65R14	79H	5J	170	570	437	963	300/44	420/A/A	BSW	YES	YES	YES
165/70R14	81T	5J	170	588	462	1019	300/44	420/A/A	BSW	YES	YES	YES
175/60R14	79H	5J	177	566	437	963	300/44	420/A/A	BSW	YES	YES	YES
175/65R14	82T	5J	177	584	475	1047	300/44	420/A/A	BSW	YES	YES	YES
175/65R14	86T	5J	177	584	530	1168	340/50	420/A/A	BSW	YES	YES	YES
175/70R14	88T	5J	177	602	560	1235	340/50	420/A/A	BSW	YES	YES	YES
175/70R14	84T	5J	177	602	500	1102	300/44	420/A/A	BSW	YES	YES	YES
175/75R14	86T	5J	177	618	530	1168	300/44	420/A/A	BSW	YES	YES	YES
185/60R14	82H	5 1/2J	189	578	475	1047	300/44	420/A/A	BSW	YES	YES	YES
185/65R14	86T	5 1/2J	189	596	530	1168	300/44	420/A/A	BSW	YES	YES	YES
185/70R14	88T	5 1/2J	189	616	560	1235	300/44	420/A/A	BSW	YES	YES	YES
195/60R14	86T	6J	201	590	530	1168	300/44	420/A/A	BSW	YES	YES	YES
195/70R14	91T	6J	201	630	615	1356	300/44	420/A/A	BSW	YES	YES	YES
205/60R14	88T	6J	209	602	560	1235	300/44	420/A/A	BSW	YES	YES	YES
205/70R14	98T	6J	209	644	750	1653	340/50	420/A/A	BSW	YES	YES	YES
205/70R15	96T	6J	209	669	710	1565	300/44	420/A/A	BSW	YES	YES	YES
205/70R15	100H	6J	209	669	800	1764	340/50	420/A/A	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



LY688

MAX ALL THE ROAD

HP

SERIES
50 ~ 70

INCH
12 ~ 17

SPEED SYMBOL
T ~ (W)

UTQG
380/A/A

COMFORT

MUTE

WEAR RESISTING

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
155/70R12	73T	4.5	157	523	365	805	300/44	380/A/A	BSW	-	-	-
175/65R14	82H	5J	177	584	475	1047	300/44	380/A/A	BSW	YES	YES	YES
185/55R14	80H	6J	194	560	450	992	300/44	380/A/A	BSW	YES	YES	YES
185/60R14	82H	5 1/2J	189	578	475	1047	300/44	380/A/A	BSW	YES	YES	YES
185/65R14	86H	5 1/2J	189	596	530	1168	300/44	380/A/A	BSW	YES	YES	YES
215/70R14	96H	6 1/2J	221	658	710	1565	300/44	380/A/A	BSW	YES	YES	YES
175/60R15	81H	5J	177	591	462	1019	300/44	380/A/A	BSW	YES	YES	YES
175/65R15	84H	5J	177	609	500	1102	300/44	380/A/A	BSW	YES	YES	YES
185/55R15	82V	6J	194	585	475	1047	300/44	380/A/A	BSW	YES	YES	YES
185/60R15	88H	5 1/2J	189	603	560	1235	340/50	380/A/A	BSW	YES	YES	YES
185/60R15	84H	5 1/2J	189	603	500	1102	300/44	380/A/A	BSW	YES	YES	YES
185/65R15	88H	5 1/2J	189	621	560	1235	300/44	380/A/A	BSW	YES	YES	YES
195/50R15	82V	6J	201	577	475	1047	300/44	380/A/A	BSW	YES	YES	YES
195/55R15	85V	6J	201	595	515	1135	300/44	380/A/A	BSW	YES	YES	YES
195/60R15	88V	6J	201	615	560	1235	300/44	380/A/A	BSW	YES	YES	YES
195/60R15	88H	6J	201	615	560	1235	300/44	380/A/A	BSW	YES	YES	YES
195/65R15	91V	6J	201	635	615	1356	300/44	380/A/A	BSW	YES	YES	YES
195/65R15	95H	6J	201	635	690	1521	340/50	380/A/A	BSW	YES	YES	YES
195/65R15	91H	6J	201	635	615	1356	300/44	380/A/A	BSW	YES	YES	YES
205/60R15	91H	6J	209	627	615	1356	300/44	380/A/A	BSW	YES	YES	YES
205/60R15	91V	6J	209	627	615	1356	300/44	380/A/A	BSW	YES	YES	YES
205/65R15	94V	6J	209	647	670	1477	300/44	380/A/A	BSW	YES	YES	YES
205/65R15	94H	6J	209	647	670	1477	300/44	380/A/A	BSW	YES	YES	YES
215/65R15	100H	6 1/2J	221	661	800	1764	340/50	380/A/A	BSW	YES	YES	YES
215/70R15	98T	6 1/2J	221	683	750	1653	300/44	380/A/B	BSW	YES	YES	YES
235/70R15	103T	7J	240	711	875	1929	300/44	380/A/B	BSW	YES	YES	YES
185/50R16	81V	6J	194	592	462	1018	300/44	380/A/A	BSW	YES	YES	YES
185/55R16	83V	6J	194	610	487	1074	300/44	380/A/A	BSW	YES	YES	YES
195/55R16	87V	6J	201	620	545	1201	300/44	380/A/A	BSW	YES	YES	YES
195/55R16	91W	6J	201	620	615	1356	340/50	380/A/A	BSW	YES	YES	YES
195/60R16	89H	6J	201	640	580	1279	300/44	380/A/A	BSW	YES	YES	YES
205/55R16	91V	6 1/2J	214	632	615	1356	300/44	380/A/A	BSW	YES	YES	YES
205/60R16	92V	6J	209	652	630	1389	300/44	380/A/A	BSW	YES	YES	YES
205/65R16	95T	6J	209	672	690	1521	300/44	380/A/B	BSW	YES	YES	YES
215/60R16	95V	6 1/2J	221	664	690	1521	300/44	380/A/A	BSW	YES	YES	YES
215/60R16	99V	6 1/2J	221	664	775	1709	340/50	380/A/A	BSW	YES	YES	YES
215/65R16	98H	6 1/2J	221	686	750	1653	300/44	380/A/A	BSW	YES	YES	YES
225/60R16	98V	6 1/2J	228	676	750	1653	300/44	380/A/A	BSW	YES	YES	YES
225/65R16	100T	6 1/2J	228	698	800	1764	300/44	380/A/B	BSW	YES	YES	YES
235/60R16	100H	7J	240	688	800	1764	300/44	380/A/A	BSW	YES	YES	YES
235/65R16	103T	7J	240	712	875	1930	300/44	380/A/B	BSW	YES	YES	YES
215/60R17	96T	6 1/2J	221	690	710	1565	300/44	380/A/B	BSW	YES	YES	YES
215/65R17	99T	6 1/2J	221	712	775	1709	300/44	380/A/B	BSW	YES	YES	YES
225/60R17	99H	6 1/2J	228	702	775	1709	300/44	380/A/B	BSW	YES	YES	YES
225/65R17	102H	6 1/2J	228	724	850	1874	300/44	380/A/A	BSW	YES	YES	YES
235/65R17	104H	7J	240	738	900	1984	300/44	380/A/A	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice





ZEALION
MAX ALL THE ROAD

UHP

SERIES
30 ~ 55

INCH
16 ~ 22

SPEED SYMBOL
V ~ (W)

UTQG
420/A/A

CONTROL

SILENT

SECURITY

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
195/45ZR16	84WXL	6 1/2J	195	582	500	1102	340/50	420 A A	BSW	YES	YES	YES
205/45ZR16	87WXL	7J	206	590	545	1201	340/50	420 A A	BSW	YES	YES	YES
205/55ZR16	94WXL	6 1/2J	214	632	670	1477	340/50	420 A A	BSW	YES	YES	YES
195/40ZR17	81WXL	7J	200	588	462	1019	340/50	420 A A	BSW	YES	YES	YES
205/40ZR17	84WXL	7 1/2J	212	596	500	1102	340/50	420 A A	BSW	YES	YES	YES
205/45ZR17	88WXL	7J	206	616	560	1235	340/50	420 A A	BSW	YES	YES	YES
205/50ZR17	93WXL	6 1/2J	214	638	650	1433	340/50	420 A A	BSW	YES	YES	YES
205/55ZR17	95WXL	6 1/2J	214	658	690	1521	340/50	420 A A	BSW	YES	YES	YES
215/40ZR17	87WXL	7 1/2J	218	604	545	1201	340/50	420 A A	BSW	YES	YES	YES
215/45ZR17	91WXL	7J	213	626	615	1356	340/50	420 A A	BSW	YES	YES	YES
215/50ZR17	95WXL	7J	226	648	690	1521	340/50	420 A A	BSW	YES	YES	YES
215/55ZR17	94W	7J	226	668	670	1477	300/44	420 A A	BSW	YES	YES	YES
225/45ZR17	94WXL	7 1/2J	225	634	670	1477	340/50	420 A A	BSW	YES	YES	YES
225/50ZR17	98WXL	7 J	233	658	750	1653	340/50	420 A A	BSW	YES	YES	YES
225/55ZR17	101WXL	7J	233	680	825	1819	340/50	420 A A	BSW	YES	YES	YES
235/45ZR17	97WXL	8J	236	644	730	1609	340/50	420 A A	BSW	YES	YES	YES
235/55ZR17	103WXL	7 1/2J	245	690	875	1929	340/50	420 A A	BSW	YES	YES	YES
245/45ZR17	99WXL	8 J	243	652	775	1709	340/50	420 A A	BSW	YES	YES	YES
215/45ZR18	93WXL	7J	213	651	650	1433	340/50	420 A A	BSW	YES	YES	YES
215/55R18	99VXL	7J	226	693	775	1709	340/50	420 A A	BSW	YES	YES	YES
225/40ZR18	92WXL	8J	230	637	630	1389	340/50	420 A A	BSW	YES	YES	YES
225/45ZR18	95WXL	7 1/2J	225	659	690	1521	340/50	420 A A	BSW	YES	YES	YES
225/55ZR18	102WXL	7J	233	705	850	1874	340/50	420 A A	BSW	YES	YES	YES
235/40ZR18	95WXL	8 1/2J	241	645	690	1521	340/50	420 A A	BSW	YES	YES	YES
235/45ZR18	98WXL	8 J	236	669	750	1653	340/50	420 A A	BSW	YES	YES	YES
235/50R18	97V	7 1/2J	245	693	730	1609	300/44	420 A A	BSW	YES	YES	YES
235/55R18	104VXL	7 1/2J	245	715	900	1984	340/50	420 A A	BSW	YES	YES	YES
245/40ZR18	97WXL	8 1/2J	248	653	730	1609	340/50	420 A A	BSW	YES	YES	YES
245/45ZR18	100WXL	8J	243	677	800	1764	340/50	420 A A	BSW	YES	YES	YES
255/35ZR18	94WXL	9 J	260	635	670	1477	340/50	420 A A	BSW	YES	YES	YES
255/40ZR18	99WXL	9J	260	661	775	1709	340/50	420 A A	BSW	YES	YES	YES
255/45ZR18	103WXL	8 1/2J	255	687	875	1929	340/50	420 A A	BSW	YES	YES	YES
255/55R18	105V	8J	265	737	925	2039	300/44	420 A A	BSW	YES	YES	YES
265/35ZR18	97WXL	9 1/2J	271	643	730	1609	340/50	420 A A	BSW	YES	YES	YES
225/35ZR19	88WXL	8J	230	641	560	1235	340/50	420 A A	BSW	YES	YES	YES



ZEALION
MAX ALL THE ROAD

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
225/45ZR19	96WXL	7 1/2J	225	685	710	710	340/50	420 A A	BSW	YES	YES	YES
225/55R19	99V	7J	233	731	775	775	300/44	420 A A	BSW	YES	YES	YES
235/35ZR19	91WXL	8 1/2J	241	647	615	615	340/50	420 A A	BSW	YES	YES	YES
235/40ZR19	96WXL	8 1/2J	241	671	710	710	340/50	420 A A	BSW	YES	YES	YES
235/45ZR19	99WXL	8J	236	695	775	775	340/50	420 A A	BSW	YES	YES	YES
235/50ZR19	103WXL	7 1/2J	245	719	875	875	340/50	420 A A	BSW	YES	YES	YES
235/55R19	105VXL	7 1/2J	245	741	925	925	340/50	420 A A	BSW	YES	YES	YES
245/35ZR19	93WXL	8 1/2J	248	655	650	650	340/50	420 A A	BSW	YES	YES	YES
245/40ZR19	98WXL	8 1/2J	248	679	750	750	340/50	420 A A	BSW	YES	YES	YES
245/45ZR19	102WXL	8J	243	703	850	850	340/50	420 A A	BSW	YES	YES	YES
245/55R19	107VXL	7 1/2J	253	753	975	975	340/50	420 A A	BSW	YES	YES	YES
255/35ZR19	96WXL	9J	260	661	710	710	340/50	420 A A	BSW	YES	YES	YES
245/35ZR20	95WXL	8 1/2J	248	680	690	690	340/50	420 A A	BSW	YES	YES	YES
245/40ZR20	99WXL	8 1/2J	248	704	775	775	340/50	420 A A	BSW	YES	YES	YES
255/35ZR20	97WXL	9J	260	686	730	730	340/50	420 A A	BSW	YES	YES	YES
255/50R20	109VXL	8J	265	764	1030	1030	340/50	420 A A	BSW	YES	YES	YES
265/50R20	111VXL	8 1/2J	277	774	1090	1090	340/50	420 A A	BSW	YES	YES	YES
265/40ZR21	105WXL	9 1/2J	271	745	925	925	340/50	420 A A	BSW	YES	YES	YES
275/30ZR21	98WXL	9 1/2J	278	699	750	750	340/50	420 A A	BSW	YES	YES	YES
315/35ZR21	111WXL	11J	320	753	1090	1090	340/50	420 A A	BSW	YES	YES	YES
285/45R22	114VXL	9 1/2J	285	815	1180	1180	340/50	420 A A	BSW	YES	YES	YES
235/50ZR17	100WXL	7 1/2J	245	668	800	800	340/50	360 A A	BSW	YES	YES	YES
215/40ZR18	89W XL	7 1/2J	218	629	580	580	340/50	360 A A	BSW	YES	YES	YES
215/50ZR18	92W	7 J	226	673	630	630	300/44	360 A A	BSW	YES	YES	YES
225/50ZR18	99WXL	7 J	233	683	775	775	340/50	360 A A	BSW	YES	YES	YES
255/55ZR19	111WXL	8J	265	763	1090	1090	340/50	360 A A	BSW	YES	YES	YES
205/55ZR19	97W XL	6 1/2J	214	709	730	730	340/50	360 A A	BSW	YES	YES	YES
225/40ZR19	93YXL	8 J	230	663	650	650	340/50	360 A A	BSW	YES	YES	YES
255/40ZR19	100Y XL	9J	260	687	800	800	340/50	360 A A	BSW	YES	YES	YES
255/45ZR19	100WXL	8 1/2J	255	713	800	800	340/50	360 A A	BSW	YES	YES	YES
255/50ZR19	107W XL	8J	265	739	975	975	340/50	360 A A	BSW	YES	YES	YES
275/30ZR19	96W XL	9 1/2J	278	649	710	710	340/50	360 A A	BSW	YES	YES	YES
275/60R20	119H XL	8 J	279	838	1360	1360	340/50	360 A A	BSW	YES	YES	YES
225/35ZR20	90WXL	8J	230	666	600	600	340/50	360 A A	BSW	YES	YES	YES
235/35ZR20	92YXL	8 1/2J	241	672	630	630	340/50	360 A A	BSW	YES	YES	YES
235/55ZR20	105WXL	7 1/2J	245	766	925	2039	340/50	360 A A	BSW	YES	YES	YES
245/30ZR20	95WXL	8 1/2J	248	656	690	1521	340/50	360 A A	BSW	YES	YES	YES
245/45ZR20	103YXL	8 J	243	728	875	1929	340/50	360 A A	BSW	YES	YES	YES
245/50ZR20	105Y XL	7 1/2J	253	754	925	2039	340/50	360 A A	BSW	YES	YES	YES
255/45ZR20	105W XL	8 1/2J	255	738	925	2039	340/50	360 A A	BSW	YES	YES	YES
275/30ZR20	97Y XL	9 1/2J	278	674	730	1609	340/50	360 A A	BSW	YES	YES	YES
275/35ZR20	102Y XL	9 1/2J	278	700	850	1874	340/50	360 A A	BSW	YES	YES	YES
275/40ZR20	106W XL	9 1/2J	278	728	950	2094	340/50	360 A A	BSW	YES	YES	YES
275/45ZR20	110W XL	9 J	273	756	1060	2337	340/50	360 A A	BSW	YES	YES	YES
275/45ZR21	110Y XL	9J	273	781	1060	2337	340/50	360 A A	BSW	YES	YES	YES
275/50ZR21	113WXL	8 1/2J	284	809	1150	2535	340/50	360 A A	BSW	YES	YES	YES
295/35ZR21	107W XL	10 1/2J	301	739	975	2149	340/50	360 A A	BSW	YES	YES	YES
295/40ZR21	111W XL	10 1/2J	301	769	1090	2403	340/50	360 A A	BSW	YES	YES	YES
265/35ZR22	102W XL	9 1/2J	271	745	850	1874	340/50	360 A A	BSW	YES	YES	YES
265/40ZR22	106W XL	9 1/2J	271	771	950	2094	340/50	360 A A	BSW	YES	YES	YES
275/40ZR22	107W XL	9 1/2J	278	779	975	2149	340/50	360 A A	BSW	YES	YES	YES
285/35ZR22	106WXL	10 J	290	759	950	2094	340/50	360 A A	BSW	YES	YES	YES
285/40ZR22	110WXL	10 J	290	787	1060	2337	340/50	360 A A	BSW	YES	YES	YES
245/40ZR17	91W	8 1/2J	248	628	615	1356	300/44	360 A A	BSW	YES	YES	YES
255/60ZR18	112VXL	7 1/2J	260	763	1120	2469	340/50	360 A A	BSW	YES	YES	YES
285/40ZR19	103Y	10J	290	711	875	1929	300/44	360 A A	BSW	YES	YES	YES
275/55ZR19	111W	8.5	284	785	1090	2403	300/44	360 A A	BSW	YES	YES	YES
255/50ZR20	109WXL	8J	265	764	1030	2271	340/50	360 A A	BSW	YES	YES	YES
255/55ZR20	110VXL	8J	265	788	1060	2337	340/50	360 A A	BSW	YES	YES	YES
265/40ZR21	105W XL	9 1/2J	271	745	925	2039	340/50	360 A A	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice





X-SPIDER A/S

MAX ALL THE ROAD

M+S

A/S

SERIES
35 ~ 80

INCH
13 ~ 20

SPEED SYMBOL
T ~ (W)

UTQG
420/A/A

WEAR RESISTING

BRAKING

SECURITY

ICE & SNOW

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
145/70R13	71T	4.50B	150	534	345	761	300/44	420/A/A	BSW	YES	YES	YES
145/80R13	75T	4.00B	145	562	387	853	300/44	420/A/A	BSW	YES	YES	YES
155/65R13	73T	4.50B	157	532	365	805	300/44	420/A/A	BSW	YES	YES	YES
155/70R13	75T	4.50B	157	548	387	853	300/44	--	BSW	YES	YES	YES
155/80R13	79T	4.50B	157	578	437	963	300/44	420/A/A	BSW	YES	YES	YES
165/70R13	79T	5.00B	170	562	437	963	300/44	--	BSW	YES	YES	YES
175/65R13	80T	5.00B	177	558	450	992	300/44	420/A/A	BSW	YES	YES	YES
175/70R13	82T	5J	177	576	475	1047	300/44	--	BSW	YES	YES	YES
155/65R14	75T	4.50B	157	558	387	853	300/44	420/A/A	BSW	YES	YES	YES
165/60R14	75H	5.00B	170	554	387	853	300/44	420/A/A	BSW	YES	YES	YES
165/65R14	79T	5J	170	570	437	963	300/44	-	BSW	YES	YES	YES
165/70R14	81T	5J	170	588	462	1019	300/44	-	BSW	YES	YES	YES
175/65R14	82T	5J	177	584	475	1047	300/44	-	BSW	YES	YES	YES
175/70R14	88TXL	5J	177	602	560	1235	340/50	-	BSW	YES	YES	YES
175/80R14	88T	5J	177	636	560	1235	300/44	420/A/A	BSW	YES	YES	YES
185/55R14	80H	6J	194	560	450	992	300/44	420/A/A	BSW	YES	YES	YES
185/60R14	82H	5 1/2J	189	578	475	1047	300/44	-	BSW	YES	YES	YES
185/65R14	86H	5 1/2J	189	596	530	1168	300/44	-	BSW	YES	YES	YES
185/70R14	88H	5 1/2J	189	616	560	1235	300/44	420/A/A	BSW	YES	YES	YES
195/70R14	91H	6J	201	630	615	1356	300/44	420/A/A	BSW	YES	YES	YES
165/60R15	81H XL	5J	170	579	462	1019	340/50	420/A/A	BSW	YES	YES	YES
165/65R15	81T	5J	170	595	462	1019	300/44	420/A/A	BSW	YES	YES	YES
175/55R15	77H	5 1/2J	182	573	412	908	300/44	420/A/A	BSW	YES	YES	YES
175/60R15	81H	5J	177	591	462	1019	300/44	420/A/A	BSW	YES	YES	YES
175/65R15	84H	5J	177	609	500	1102	300/44	-	BSW	YES	YES	YES
185/55R15	82H	6J	194	585	475	1047	300/44	-	BSW	YES	YES	YES
185/60R15	88H XL	5 1/2J	189	603	560	1235	340/50	-	BSW	YES	YES	YES
185/65R15	92T XL	5 1/2J	189	621	630	1389	340/50	-	BSW	YES	YES	YES
195/50R15	82V	6J	201	577	475	1047	300/44	-	BSW	YES	YES	YES
195/55R15	85H	6J	201	595	515	1135	300/44	-	BSW	YES	YES	YES
195/60R15	88H	6J	201	615	560	1235	300/44	-	BSW	YES	YES	YES
195/65R15	91H	6J	201	635	615	1356	300/44	-	BSW	YES	YES	YES
195/65R15	95V XL	6J	201	635	690	1521	340/50	-	BSW	YES	YES	YES
205/65R15	94V	6J	209	647	670	1477	300/44	-	BSW	YES	YES	YES
215/65R15	96H	6 1/2J	221	661	710	1565	300/44	420/A/A	BSW	YES	YES	YES
195/45R16	84V XL	6 1/2J	195	582	500	1102	340/50	-	BSW	YES	YES	YES
195/50R16	88V XL	6J	201	602	560	1235	340/50	420/A/A	BSW	YES	YES	YES
195/55R16	91V XL	6J	201	620	615	1356	340/50	-	BSW	YES	YES	YES
195/60R16	89H	6J	201	640	580	1278	300/44	420/A/A	BSW	YES	YES	YES
205/45ZR16	87W XL	7J	206	590	545	1201	340/50	420/A/A	BSW	YES	YES	YES




X-SPIDER A/S

MAX ALL THE ROAD

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
205/50ZR16	91W XL	6 1/2J	214	612	615	1356	340/50	420/A/A	BSW	YES	YES	YES
205/55R16	91H	6 1/2J	214	632	615	1356	300/44	-	BSW	YES	YES	YES
205/55R16	94V XL	6 1/2J	214	632	670	1477	340/50	-	BSW	YES	YES	YES
205/60R16	96V XL	6J	209	652	710	1565	340/50	-	BSW	YES	YES	YES
215/45R16	90V XL	7J	213	600	600	1323	340/50	420/A/A	BSW	YES	YES	YES
215/55R16	97V XL	7J	226	642	730	1609	340/50	-	BSW	YES	YES	YES
215/60R16	99H XL	6 1/2J	221	664	775	1709	340/50	-	BSW	YES	YES	YES
215/65R16	102H XL	6 1/2J	221	686	850	1874	340/50	420/A/A	BSW	YES	YES	YES
215/70R16	100H	6 1/2J	221	708	800	1764	300/44	420/A/A	BSW	YES	YES	YES
225/55ZR16	99W XL	7J	233	654	775	1709	340/50	420/A/A	BSW	YES	YES	YES
225/60R16	98H	6 1/2J	228	676	750	1653	300/44	420/A/A	BSW	YES	YES	YES
235/60R16	100H	7 J	240	688	800	1764	300/44	420/A/A	BSW	YES	YES	YES
205/40ZR17	84W XL	7 1/2J	212	596	500	1102	340/50	420/A/A	BSW	YES	YES	YES
205/45ZR17	88W XL	7J	206	616	560	1235	340/50	420/A/A	BSW	YES	YES	YES
205/50ZR17	93W XL	6 1/2J	214	638	650	1433	340/50	-	BSW	YES	YES	YES
205/55ZR17	95W XL	6 1/2J	214	658	690	1521	340/50	-	BSW	YES	YES	YES
215/40ZR17	87W XL	7 1/2J	218	604	545	1201	340/50	420/A/A	BSW	YES	YES	YES
215/45ZR17	91W XL	7J	213	626	615	1356	340/50	420/A/A	BSW	YES	YES	YES
215/50ZR17	95W XL	7J	226	648	690	1521	340/50	-	BSW	YES	YES	YES
215/55ZR17	98W XL	7J	226	668	750	1653	340/50	-	BSW	YES	YES	YES
215/60R17	96H	6 1/2J	221	690	710	1565	300/44	-	BSW	YES	YES	YES
215/65R17	99T	6 1/2J	221	712	775	1709	300/44	420/A/A	BSW	YES	YES	YES
225/45ZR17	94W XL	7 1/2J	225	634	670	1477	340/50	-	BSW	YES	YES	YES
225/50ZR17	98W XL	7J	233	658	750	1653	340/50	-	BSW	YES	YES	YES
225/55ZR17	101W XL	7J	233	680	825	1819	340/50	420/A/A	BSW	YES	YES	YES
225/60R17	99H	6 1/2J	228	702	775	1709	300/44	420/A/A	BSW	YES	YES	YES
225/65R17	106H XL	6 1/2J	228	724	950	2094	340/50	-	BSW	YES	YES	YES
235/45ZR17	97W XL	8J	236	644	730	1609	340/50	-	BSW	YES	YES	YES
235/55ZR17	103W XL	7 1/2J	245	690	875	1929	340/50	420/A/A	BSW	YES	YES	YES
235/65R17	108H XL	7J	240	738	1000	2205	340/50	420/A/A	BSW	YES	YES	YES
245/45ZR17	99W XL	8 J	243	652	775	1709	340/50	420/A/A	BSW	YES	YES	YES
255/60R17	110H XL	7 1/2J	260	738	1060	2337	340/50	420/A/A	BSW	YES	YES	YES
215/55R18	99V XL	7 J	226	693	775	1709	340/50	420/A/A	BSW	YES	YES	YES
225/40ZR18	92W XL	8J	230	637	630	1389	340/50	-	BSW	YES	YES	YES
225/45ZR18	95W XL	7 1/2J	225	659	690	1521	340/50	420/A/A	BSW	YES	YES	YES
225/50ZR18	99W XL	7J	233	683	775	1709	340/50	420/A/A	BSW	YES	YES	YES
225/55R18	98V	7J	233	705	750	1653	300/44	-	BSW	YES	YES	YES
235/40ZR18	95W XL	8 1/2J	241	645	690	1521	340/50	420/A/A	BSW	YES	YES	YES
235/45ZR18	98W XL	8 J	236	669	750	1653	340/50	420/A/A	BSW	YES	YES	YES
235/50ZR18	101W XL	7 1/2J	245	693	825	1819	340/50	-	BSW	YES	YES	YES
235/55R18	104V XL	7 1/2J	245	715	900	1984	340/50	420/A/A	BSW	YES	YES	YES
235/60R18	107V XL	7J	240	739	975	2149	340/50	-	BSW	YES	YES	YES
245/40ZR18	97W XL	8 1/2J	248	653	730	1609	340/50	420/A/A	BSW	YES	YES	YES
245/45ZR18	100W XL	8J	243	677	800	1764	340/50	-	BSW	YES	YES	YES
255/55R18	105V	8 J	265	737	925	2039	300/44	420/A/A	BSW	YES	YES	YES
255/60R18	112H XL	7 1/2J	260	763	1120	2469	340/50	420/A/A	BSW	YES	YES	YES
155/70R19	84T	4 1/2J	157	701	500	1102	300/44	420/A/A	BSW	YES	YES	YES
205/55R19	97V XL	6 1/2J	214	709	730	1609	340/50	420/A/A	BSW	YES	YES	YES
225/35ZR19	88W XL	8J	230	641	560	1235	340/50	420/A/A	BSW	YES	YES	YES
225/40ZR19	93W XL	8J	230	663	650	1433	340/50	420/A/A	BSW	YES	YES	YES
225/45ZR19	96W XL	7 1/2J	225	685	710	1565	340/50	420/A/A	BSW	YES	YES	YES
225/55R19	99V	7J	233	731	775	1709	300/44	420/A/A	BSW	YES	YES	YES
235/35ZR19	91W XL	8 1/2J	241	647	615	1356	340/50	420/A/A	BSW	YES	YES	YES
235/45ZR19	99W XL	8J	236	695	775	1709	340/50	420/A/A	BSW	YES	YES	YES
235/55R19	105V XL	7 1/2J	245	741	925	2039	340/50	-	BSW	YES	YES	YES
245/40ZR19	98W XL	8 1/2J	248	679	750	1653	340/50	420/A/A	BSW	YES	YES	YES
245/45ZR19	102W XL	8 J	243	703	850	1874	340/50	420/A/A	BSW	YES	YES	YES
255/35ZR19	96W XL	9J	260	661	710	1565	340/50	420/A/A	BSW	YES	YES	YES
255/40ZR19	100W XL	9J	260	687	800	1764	340/50	420/A/A	BSW	YES	YES	YES
285/45R19	111V XL	9 1/2J	285	739	1090	2403	340/50	420/A/A	BSW	YES	YES	YES
195/55R20	91V	6J	201	722	615	1356	300/44	420/A/A	BSW	YES	YES	YES
245/35ZR20	95W XL	8 1/2J	248	680	690	1521	340/50	420/A/A	BSW	YES	YES	YES
245/40ZR20	99W XL	8 1/2J	248	704	775	1709	340/50	420/A/A	BSW	YES	YES	YES
255/35ZR20	97W XL	9J	260	686	730	1609	340/50	420/A/A	BSW	YES	YES	YES
255/40ZR20	101W XL	9J	260	712	825	1819	340/50	420/A/A	BSW	YES	YES	YES
255/45ZR20	105W XL	8 1/2J	255	738	925	2039	340/50	420/A/A	BSW	YES	YES	YES
265/45R20	108V XL	9J	266	746	1000	2205	340/50	420/A/A	BSW	YES	YES	YES
315/35ZR20	110W XL	11J	320	728	1060	2337	340/50	420/A/A	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice





X-SPIDER+ A/S

MAX ALL THE ROAD

M+S

A/S

SERIES
60 ~ 75

INCH
14 ~ 17

SPEED SYMBOL
R ~ (H)

UTQG
---/-/-

WEAR RESISTING

BRAKING

SECURITY

ICE & SNOW

Size	LI/SI	PR	Rim	SW (mm)	OD (mm)	Load Index (kg)	Load Index (Lbs)	Max Pressure Kpa/Psi	Sidewall			
175/65R14C	90/88T	6	5	177	584	600/560	1323/1235	375/54	BSW	YES	YES	YES
175/70R14C	95/93T	6	5	177	602	690/650	1521/1433	375/54	BSW	YES	YES	YES
195/70R15C	104/102R	8	6	201	655	900/850	1984/1874	450/65	BSW	YES	YES	YES
205/70R15C	106/104R	8	6	209	669	950/900	2094/1984	450/65	BSW	YES	YES	YES
215/70R15C	109/107R	8	6 1/2	221	683	1030/975	2271/2149	450/65	BSW	YES	YES	YES
225/70R15C	112/110R	8	6 1/2	228	697	1120/1060	2469/2337	450/65	BSW	YES	YES	YES
185/75R16C	104/102R	8	5	184	684	900/850	1984/1874	475/69	BSW	YES	YES	YES
195/60R16C	99/97H	6	6	201	640	775/730	1709/1609	375/54	BSW	YES	YES	YES
195/65R16C	104/102T	8	6	201	660	900/850	1984/1874	475/69	BSW	YES	YES	YES
195/75R16C	107/105R	8	5 1/2	196	698	975/925	2149/2039	475/69	BSW	YES	YES	YES
205/65R16C	107/105T	8	6	209	672	975/925	2149/2039	475/69	BSW	YES	YES	YES
205/75R16C	113/111R	10	5.5	203	714	1150/1090	2535/2403	525/76	BSW	YES	YES	YES
215/60R16C	103/101T	6	6 1/2	221	664	875/825	1929/1819	375/54	BSW	YES	YES	YES
215/65R16C	109/107T	8	6 1/2	221	686	1030/975	2271/2149	475/69	BSW	YES	YES	YES
215/75R16C	113/111R	8	6	216	728	1150/1090	2535/2403	475/69	BSW	YES	YES	YES
225/65R16C	112/110R	8	6 1/2	228	698	1120/1060	2469/2337	475/69	BSW	YES	YES	YES
225/75R16C	121/120R	10	6	223	744	1450/1400	3197/3086	575/83	BSW	YES	YES	YES
235/65R16C	115/113R	8	7	240	712	1215/1150	2679/2535	475/69	BSW	YES	YES	YES
215/60R17C	109/107T	8	6 1/2	221	690	1030/975	2271/2149	475/69	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



X-MAXXTON EV

MAX ALL THE ROAD





EV

CONTROL | SILENT | COMFORT | MILEAGE

SERIES
30 ~ 50

INCH
17 ~ 22

SPEED SYMBOL
V ~ (Y)

UTQG
320/A/A

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
235/45R18	98W	8 J	236	669	750	1653	340/50	320/A/A	BSW	YES	YES	YES
235/40R19	96W	8 1/2J	241	671	710	1565	340/50	320/A/A	BSW	YES	YES	YES
235/35ZR20	92Y	8 1/2J	241	672	630	1389	340/50	320/A/A	BSW	YES	YES	YES
235/40R19	96W	8 1/2J	241	671	710	1565	340/50	320/A/A	BSW	YES	YES	YES
235/35ZR20	92W/92Y	8 1/2J	241	672	630	1389	340/50	320/A/A	BSW	YES	YES	YES
275/35R19	100W/100Y	91/2J	278	675	800	1764	340/50	320/A/A	BSW	YES	YES	YES
275/30ZR20	97W/97Y	9 1/2J	278	674	730	1609	340/50	320/A/A	BSW	YES	YES	YES
245/35ZR20	95Y	8 1/2J	248	680	690	1521	340/50	320/A/A	BSW	YES	YES	YES
245/35ZR20	95W/95Y	8 1/2J	248	680	690	1521	340/50	320/A/A	BSW	YES	YES	YES
285/30ZR20	99W/99Y	10J	290	680	775	1709	340/50	320/A/A	BSW	YES	YES	YES
255/45R19	104W	8 1/2J	255	713	900	1984	340/50	320/A/A	BSW	YES	YES	YES
215/55R18	99V	7J	226	693	775	1709	340/50	320/A/A	BSW	YES	YES	YES
235/60R18	107H	7 J	240	739	975	2149	340/50	320/A/A	BSW	YES	YES	YES
235/55R19	105V	7 1/2J	245	741	925	2039	340/50	320/A/A	BSW	YES	YES	YES
235/50R20	104	7 1/2J	245	744	900	1984	340/50	320/A/A	BSW	YES	YES	YES
255/50R19	103T/107V	8J	265	739	975	2149	340/50	320/A/A	BSW	YES	YES	YES
255/45R20	101T/105W	8 1/2J	255	738	925	2039	340/50	320/A/A	BSW	YES	YES	YES
205/55R16	91V	6.5J	214	632	615	1356	300/44	320/A/A	BSW	YES	YES	YES
185/65R15	92TXL	5.5J	189	621	630	1389	340/50	320/A/A	BSW	YES	YES	YES
195/55R16	91V	6 J	201	620	615	1356	340/50	320/A/A	BSW	YES	YES	YES
205/45R17	88W	7J	206	616	560	1235	340/50	320/A/A	BSW	YES	YES	YES
215/55R17	94V	7J	226	668	670	1477	300/44	320/A/A	BSW	YES	YES	YES
215/50R18	92W	7J	226	673	630	1389	300/44	320/A/A	BSW	YES	YES	YES
255/55R19	111V	8J	265	763	1090	2403	340/50	320/A/A	BSW	YES	YES	YES
255/50R20	109VXL	8J	265	764	1030	2271	340/50	320/A/A	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



VANMEJOR C30

MAX ALL THE ROAD

VAN

SERIES
60 ~ 75

INCH
14 ~ 17

SPEED SYMBOL
R ~ (H)

UTQG
---/-/-

WEAR RESISTING

SECURITY

EFFICIENCY

Size	LI/SI	PR	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
						(kg)	(Lbs)					
185R14C	102/100R	8	5 1/2J	188	650	850/800	1874/1764	450/65	BSW	YES	YES	YES
195R14C	106/104R	8	5 1/2J	198	666	950/900	2094/1984	450/65	BSW	YES	YES	YES
195R15C	106/104R	8	5 1/2J	198	690	950/900	2094/1984	450/65	BSW	YES	YES	YES
195/70R15C	104/102R	8	6J	201	655	900/850	1984/1874	450/65	BSW	YES	YES	YES
205/65R15C	102/100R	6	6J	209	647	850/800	1874/1764	375/54	BSW	YES	YES	YES
205/70R15C	106/104R	8	6J	209	669	950/900	2094/1984	450/65	BSW	YES	YES	YES
215/65R15C	104/102R	6	6 1/2J	221	661	900/850	1984/1874	375/54	BSW	YES	YES	YES
215/70R15C	109/107R	8	6 1/2J	221	683	1030/975	2271/2149	450/65	BSW	YES	YES	YES
225/70R15C	112/110R	8	6 1/2J	228	697	1120/1060	2469/2337	450/65	BSW	YES	YES	YES
185/75R16C	104/102R	8	5J	184	684	900/850	1984/1874	475/69	BSW	YES	YES	YES
195/60R16C	99/97H	6	6J	201	640	775/730	1709/1609	375/54	BSW	YES	YES	YES
195/65R16C	104/102T	8	6J	201	660	900/850	1984/1874	475/69	BSW	YES	YES	YES
195/75R16C	107/105R	8	5 1/2J	196	698	975/925	2149/2039	475/69	BSW	YES	YES	YES
205/65R16C	107/105T	8	6J	209	672	975/925	2149/2039	475/69	BSW	YES	YES	YES
205/75R16C	113/111R	10	5 1/2J	203	714	1150/1090	2535/2403	525/76	BSW	YES	YES	YES
215/60R16C	103/101T	6	6 1/2J	221	664	875/825	1929/1819	375/54	BSW	YES	YES	YES
215/65R16C	109/107T	8	6 1/2J	221	686	1030/975	2271/2149	475/69	BSW	YES	YES	YES
215/75R16C	113/111R	8	6J	216	728	1150/1090	2535/2403	475/69	BSW	YES	YES	YES
225/65R16C	112/110R	8	6 1/2J	228	698	1120/1060	2469/2337	475/69	BSW	YES	YES	YES
225/75R16C	121/120R	10	6J	223	744	1450/1400	3197/3086	575/83	BSW	YES	YES	YES
235/65R16C	115/113R	8	7J	240	712	1215/1150	2679/2535	475/69	BSW	YES	YES	YES
215/60R17C	109/107T	8	6 1/2J	221	690	1030/975	2271/2149	475/69	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



MAXWAYS 52

MAX ALL THE ROAD

VAN

SERIES
-- ~ --

INCH
16 ~ 16

SPEED SYMBOL
N ~ (N)

UTQG
---/-/-

Size	LI/SI	PR	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
						(kg)	(Lbs)					
7.00R16LT	115/110N	12	5.50F	200	775	1215/1060	2679/2337	670/97	BSW	-	-	-
7.50R16LT	122/118N	14	6.00G	215	805	1500/1320	3307/2910	770/112	BSW	-	-	-

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice

WEAR RESISTING

SECURITY

EFFICIENCY



GALLOPRO H/T

MAX ALL THE ROAD

H/T

SERIES
50 ~ 70

INCH
16 ~ 20


SPEED SYMBOL
T ~ (V)

UTQG
420/A/A

CONTROL | COMFORTABLE | WEAR RESISTING | SECURITY

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
215/65R16	98H	6 1/2J	221	686	750	1653	300/44	420/A/A	BSW	YES	YES	YES
215/70R16	100H	6 1/2J	221	708	800	1764	300/44	420/A/A	BSW	YES	YES	YES
225/70R16	107HXL	6 1/2J	228	722	975	2149	340/50	420/A/A	BSW	YES	YES	YES
235/60R16	100H	7J	240	688	800	1764	300/44	420/A/A	BSW	YES	YES	YES
235/70R16	106H	7J	240	736	950	2094	300/44	420/A/A	BSW	YES	YES	YES
245/70R16	111HXL	7J	248	750	1090	2403	340/50	420/A/A	BSW	YES	YES	YES
255/65R16	109H	7 1/2J	260	738	1030	2271	300/44	420/A/A	BSW	YES	YES	YES
255/70R16	111T	7 1/2J	260	764	1090	2403	300/44	420/A/A	BSW	YES	YES	YES
265/70R16	112T	8J	272	778	1120	2469	300/44	420/A/A	BSW	YES	YES	YES
275/70R16	114T	8J	279	792	1180	2601	300/44	420/A/A	BSW	YES	YES	YES
215/60R17	96H	6 1/2J	221	690	710	1565	300/44	420/A/A	BSW	YES	YES	YES
215/65R17	99V	6 1/2J	221	712	775	1709	300/44	420/A/A	BSW	YES	YES	YES
225/60R17	99H	6 1/2J	228	702	775	1709	300/44	420/A/A	BSW	YES	YES	YES
235/60R17	106HXL	7J	240	714	950	2094	340/50	420/A/A	BSW	YES	YES	YES
225/65R17	102H	6 1/2J	228	724	850	1874	300/44	420/A/A	BSW	YES	YES	YES
235/65R17	104H	7J	240	738	900	1984	300/44	420/A/A	BSW	YES	YES	YES
245/65R17	111HXL	7J	248	750	1090	2403	340/50	420/A/A	BSW	YES	YES	YES
245/70R17	114TXL	7J	248	776	1180	2601	340/50	420/A/A	BSW	YES	YES	YES
255/60R17	110HXL	7 1/2J	260	738	1060	2337	340/50	420/A/A	BSW	YES	YES	YES
255/65R17	110H	7 1/2J	260	764	1060	2337	300/44	420/A/A	BSW	YES	YES	YES
265/65R17	112H	8J	272	776	1120	2469	300/44	420/A/A	BSW	YES	YES	YES
265/70R17	115T	8J	272	804	1215	2679	300/44	420/A/A	BSW	YES	YES	YES
275/65R17	115T	8J	279	790	1215	2679	300/44	420/A/A	BSW	YES	YES	YES
285/65R17	116T	8 1/2J	292	802	1250	2756	300/44	420/A/A	BSW	YES	YES	YES
225/55R18	98H	7J	233	705	750	1653	300/44	420/A/A	BSW	YES	YES	YES
235/55R18	104HXL	7 1/2J	245	715	900	1984	340/50	420/A/A	BSW	YES	YES	YES
225/60R18	104HXL	6 1/2J	228	727	900	1984	340/50	420/A/A	BSW	YES	YES	YES
235/60R18	107HXL	7J	240	739	975	2149	340/50	420/A/A	BSW	YES	YES	YES
235/65R18	110HXL	7J	240	763	1060	2337	340/50	420/A/A	BSW	YES	YES	YES
245/60R18	105H	7J	248	751	925	2039	300/44	420/A/A	BSW	YES	YES	YES
255/60R18	112HXL	7 1/2J	260	763	1120	2469	340/50	420/A/A	BSW	YES	YES	YES
255/70R18	113T	7 1/2J	260	815	1150	2535	300/44	420/A/A	BSW	YES	YES	YES
265/60R18	110H	8J	272	775	1060	2337	300/44	420/A/A	BSW	YES	YES	YES
265/70R18	116T	8J	272	829	1250	2756	300/44	420/A/A	BSW	YES	YES	YES
275/60R18	117HXL	8J	279	787	1285	2833	340/50	420/A/A	BSW	YES	YES	YES
285/60R18	116H	8 1/2J	292	799	1250	2756	300/44	420/A/A	BSW	YES	YES	YES
235/65R19	109HXL	7	240	789	1030	2271	340/50	420/A/A	BSW	YES	YES	YES
245/55R19	107VXL	7 1/2J	253	753	975	2149	340/50	420/A/A	BSW	YES	YES	YES
255/50R19	107VXL	8J	265	739	975	2149	340/50	420/A/A	BSW	YES	YES	YES
255/55R19	111VXL	8J	265	763	1090	2403	340/50	420/A/A	BSW	YES	YES	YES
285/50R20	116VXL	9J	297	794	1250	2756	340/50	420/A/A	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



TERRA XPLORER C2 A/T

MAX ALL THE ROAD



A/T

SERIES
50 ~ 85

INCH
13 ~ 20

SPEED SYMBOL
Q ~ (H)

UTQG
460/A/A

CONTROL | BRAKING | WEAR RESISTING | DRAINAGE

Size	LI/SI	PR	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
						(kg)	(Lbs)						
175/75R13	84T	-	5.00B	177	593	500	1102	300/44	400/A/A	BSW	-	-	-
175/75R14	86T	-	5J	177	618	530	1168	300/44	400/A/A	BSW	-	-	-
205/60R15	91H	-	6J	209	627	615	1356	300/44	400/A/A	BSW	-	-	-
205/65R15	94H	-	6J	209	647	670	1477	300/44	400/A/A	BSW	-	-	-
205/70R15	96H	-	6J	209	669	710	1565	300/44	400/A/A	BSW/WSW	-	-	-
205/60R16	92H	-	6J	209	652	630	1389	300/44	400/A/A	BSW	-	-	-
215/65R16	98T	-	6 1/2J	221	686	750	1653	300/44	400/A/A	BSW	YES	YES	YES
225/70R16	103T	-	6 1/2J	228	722	875	1929	300/44	400/A/A	BSW	YES	YES	YES
245/75R16	111T	-	7J	248	774	1090	2403	300/44	400/A/A	WSW	YES	YES	YES
255/70R16	111T	-	7 1/2J	260	764	1090	2403	300/44	400/A/A	WSW	YES	YES	YES
265/70R16	112T	-	8 J	272	778	1120	2469	300/44	460/A/A	BSW	YES	YES	YES
215/65R17	99T	-	6 1/2J	221	712	775	1708	300/44	400/A/A	BSW	YES	YES	YES
225/60R17	99H	-	6 1/2J	228	702	775	1708	300/44	400/A/A	BSW	YES	YES	YES
265/65R17	112T	-	8 J	272	776	1120	2469	300/44	460/A/A	BSW/WSW	YES	YES	YES
265/70R17	115S	-	8 J	272	804	1215	2679	300/44	460/A/A	BSW	YES	YES	YES
275/65R17	115T	-	8J	279	790	1215	2679	300/44	400/A/A	WSW	YES	YES	YES
285/65R17	116T	-	8 1/2J	292	802	1250	2755	300/44	400/A/A	WSW	YES	YES	YES
255/60R18	112T	-	7 1/2J	260	763	1120	2469	340/50	400/A/A	BSW	YES	YES	YES
265/60R18	110T	-	8 J	272	775	1060	2336	300/44	400/A/A	BSW/WSW	YES	YES	YES
275/65R18	116T	-	8 J	279	815	1250	2755	300/44	400/A/A	BSW	YES	YES	YES
285/60R18	120S XL	-	8 1/2J	292	799	1400	3086	340/50	460/A/A	BSW	YES	YES	YES
305/60R18	120S	-	9 J	311	823	1400	3086	300/44	460/A/A	BSW	YES	YES	YES
265/50R20	111S XL	-	8 1/2J	277	774	1090	2403	340/50	400/A/A	BSW/WSW	YES	YES	YES
275/55R20	117S XL	-	8 1/2J	284	810	1285	2833	340/50	400/A/A	BSW	YES	YES	YES
285/50R20	116TXL	-	9	297	794	1250	2756	340/50	400/A/A	BSW	YES	YES	YES
285/55R20	119S XL	-	9 J	297	822	1360	2998	340/50	400/A/A	BSW	YES	YES	YES
305/50R20	120S XL	-	9 1/2J	316	814	1400	3086	340/50	400/A/A	BSW	YES	YES	YES
215R15C	112/110S	8	6J	218	725	1120/1060	2469/2337	450/65	-	BSW	YES	YES	YES
LT215/75R15	100/97Q	6	6J	216	703	800/730	1765/1610	350/50	-	WSW	YES	YES	YES
LT235/75R15	104/101S	6	6 1/2J	235	733	900/825	1985/1820	350/50	-	WSW	YES	YES	YES
245/75R15C	109/107S	6	7J	248	749	1030/975	2271/2149	375/54	-	BSW	YES	YES	YES
255/70R15C	112/110S	6	7 1/2J	260	739	1120/1060	2469/2337	375/54	-	BSW	YES	YES	YES
185/75R16C	104/102R	8	5J	184	684	900/850	1984/1874	475/69	-	BSW	YES	YES	YES
205R16C	110/108S	8	6J	208	736	1060/1000	2337/2205	450/65	-	WSW	YES	YES	YES
LT215/85R16	115/112Q	10	6J	216	772	1215/1120	2679/2469	575/84	-	WSW	YES	YES	YES
LT245/70R16	113/110S	8	7J	248	750	1150/1060	2535/2335	450/65	-	WSW	YES	YES	YES
LT265/70R16	121/118S	10	8J	272	778	1450/1320	3195/2910	550/80	-	WSW	YES	YES	YES
LT265/75R16	123/120Q	10	7 1/2J	267	804	1550/1400	3415/3085	550/80	-	BSW	-	-	-
LT285/75R16	126/123Q	10	8 J	286	834	1700/1550	3750/3415	550/80	-	BSW	-	-	-
LT245/65R17	111/108R	8	7J	248	750	1090/1000	2403/2205	450/65	-	WSW	YES	YES	YES
LT245/70R17	119/116S	10	7J	248	776	1360/1250	3000/2755	550/80	-	WSW	YES	YES	YES
LT245/75R17	121/118S	10	7J	248	800	1450/1320	3195/2910	550/80	-	WSW	YES	YES	YES
LT285/70R17	121/118Q	10	8 1/2J	292	832	1450/1320	3195/2910	550/80	-	BSW/WSW	YES	YES	YES
LT285/60R18	122/119Q	10	8 1/2J	292	799	1500/1360	3305/3000	550/80	-	BSW	-	-	-
LT285/65R18	125/122R	10	8 1/2J	292	827	1650/1500	3640/3305	550/80	-	WSW	-	-	-
LT325/60R18	124/121Q	10	9 1/2J	331	847	1600/1450	3525/3195	450/65	-	BSW	-	-	-
LT325/65R18	127/124Q	10	9 1/2J	331	879	1750/1600	3860/3525	450/65	-	BSW	-	-	-
31X10.50R15LT	109S	6	8 1/2J	268	775	1030	2270	350/50	-	WSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



SERIES
50 ~ 75

INCH
14 ~ 20

SPEED SYMBOL
Q ~ (T)

UTQG
---/-/-

CONTROL | COMFORTABLE | WEAR RESISTING | SECURITY

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	UTQG	Sidewall			
					(kg)	(Lbs)						
27X8.50R14LT	95R	7J	218	674	690	1521	350/50	-	BSW	-	-	-
235/75R15	109T XL	6 1/2J	235	733	1030	2271	340/50	-	BSW	-	-	-
235/70R16	109T XL	7 J	240	736	1030	2271	340/50	-	BSW	-	-	-
255/70R16	111T	7 1/2J	260	764	1090	2403	300/44	-	BSW	-	-	-
245/75R16	111T	7J	248	774	1090	2403	300/44	-	BSW	-	-	-
LT245/75R16	120/116S	7 J	248	774	1380/1260	3042/2778	550/80	-	BSW	-	-	-
255/75R16	116T XL	8J	255	788	1250	2755	340/50	-	BSW	-	-	-
LT265/75R16	123/120S	7 1/2J	267	804	1550/1400	3415/3085	550/80	-	BSW	-	-	-
LT285/75R16	123/120S	8 J	286	834	1700/1550	3750/3415	550/80	-	BSW	-	-	-
265/70R17	115T	8 J	272	804	1215	2679	300/44	-	BSW	-	-	-
LT265/70R17	121/118S	8 J	272	804	1450/1320	3195/2910	550/80	-	BSW	-	-	-
LT285/70R17	121/118S	8 1/2J	292	832	1450/1320	3195/2910	550/80	-	BSW	-	-	-
LT245/75R17	121/118S	7 J	248	800	1450/1320	3195/2910	550/80	-	BSW	-	-	-
LT285/65R18	125/122R	8 1/2J	292	827	1650/1500	3638/3307	550/80	-	BSW	-	-	-
265/50R20	111T XL	8 1/2J	277	774	1090	2403	340/50	-	BSW	-	-	-
275/55R20	117T XL	8 1/2J	284	810	1285	2833	340/50	-	BSW	-	-	-
275/60R20	116T XL	8J	279	838	1250	2756	340/50	-	BSW	-	-	-
285/45R22	114T XL	9 1/2J	285	815	1180	2601	340/50	-	BSW	-	-	-
31X10.50R15LT	109Q	8 1/2J	268	775	1030	2271	350/50	-	BSW	-	-	-
33X12.50R15LT	108Q	10 J	318	826	1000	2205	250/35	-	BSW	-	-	-
33X12.50R18LT	118Q	10 J	318	826	1320	2910	450/65	-	BSW	-	-	-
33X12.50R20LT	114Q	10J	318	826	1180	2601	450/65	-	BSW	-	-	-
33X12.50R22LT	109Q	10 J	318	832	1030	2271	450/65	-	BSW	-	-	-
35X12.50R17LT	121Q	10 J	318	877	1450	3197	450/65	-	BSW	-	-	-
35X12.50R18LT	118Q	10 J	318	877	1320	2910	350/50	-	BSW	-	-	-
35X12.50R20LT	121Q	10 J	318	877	1450	3197	450/65	-	BSW	-	-	-

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



MAXATRAVES M/T

MAX ALL THE ROAD



M/T

SERIES
65 ~ 85

INCH
15 ~ 22


SPEED SYMBOL
Q ~ (Q)

UTQG
---/-/-

CONTROL | BRAKING | ICE & SNOW | WEAR RESISTING

Size	LI/SI	PR	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall	
						(kg)	(Lbs)			
LT235/85R16	120/116Q	10	6 1/2J	235	806	1380/1260	3042/2778	550/80	WSW	POR
LT235/75R15	104/101Q	6	6 1/2J	235	733	900/825	1985/1820	350/50	WSW	POR
LT235/70R16	110/107Q	8	7J	240	736	1060/975	2335/2150	450/65	WSW	POR
LT265/75R16	119/116Q	8	7 1/2J	267	804	1360/1250	3000/2755	450/65	WSW	POR
LT265/75R16	123/120Q	10	7 1/2J	267	804	1500/1400	3415/3085	550/80	WSW	POR
LT265/65R17	120/117Q	10	8J	272	782	1400/1285	3085/2835	550/80	WSW	POR
LT265/70R17	121/118Q	10	8J	272	804	1450/1320	3195/2910	550/80	WSW	POR
LT285/75R16	116/113Q	6	8J	286	834	1250/1150	2755/2535	350/50	WSW	POR
LT285/75R16	126/123Q	10	8J	286	834	1700/1550	3750/3415	550/80	WSW	POR
LT285/70R17	121/118Q	8	8 1/2J	292	832	1450/1320	3195/2910	450/65	WSW	POR
LT245/70R16	118/115Q	10	7J	248	750	1320/1215	2910/2680	550/80	WSW	POR
31X10.50R15LT	109Q	6	8 1/2J	268	775	1030	2270	350/50	WSW	POR
35X12.50R15LT	113Q	6	10J	318	877	1150	2535	250/35	WSW	POR
35X12.50R17LT	121Q	10	10J	318	877	1450	3195	450/65	WSW	POR
33X12.50R18LT	118Q	10	10J	318	826	1320	2910	450/65	WSW	POR
33X12.50R20LT	114Q	10	10J	318	826	1180	2600	450/65	WSW	POR
35X12.50R18LT	118Q	8	10J	318	877	1320	2910	350/50	WSW	POR
35X12.50R20LT	121Q	10	10J	318	877	1450	3195	450/65	WSW	POR
33X12.50R22LT	109Q	10	10J	318	832	1030	2270	450/65	BSW	POR

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice





WINTERHAWKE I

MAX ALL THE ROAD

WINTER

SERIES
35 ~ 80

INCH
13 ~ 20

SPEED SYMBOL
T ~ (V)

UTQG
---/-/-

ICE & SNOW | CONTROL | BRAKING | SECURITY

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
					(kg)	(Lbs)					
145/70R13	71T	4.50B	150	534	345	761	300/44	BSW	YES	YES	YES
145/80R13	75T	4.00B	145	562	387	853	300/44	BSW	YES	YES	YES
155/65R13	73T	4.50B	157	532	365	805	300/44	BSW	YES	YES	YES
155/70R13	75T	4.50B	157	548	387	853	300/44	BSW	YES	YES	YES
155/80R13	79T	4.50B	157	578	437	963	300/44	BSW	YES	YES	YES
165/70R13	79T	5.00B	170	562	437	963	300/44	BSW	YES	YES	YES
165/80R13	83T	4.50B	165	594	487	1074	300/44	BSW	YES	YES	YES
175/65R13	80T	5.00B	177	558	450	992	300/44	BSW	YES	YES	YES
175/70R13	82T	5.00B	177	576	475	1047	300/44	BSW	YES	YES	YES
155/65R14	75T	4 1/2J	157	558	387	853	300/44	BSW	YES	YES	YES
165/60R14	75H	5J	170	554	387	853	300/44	BSW	YES	YES	YES
165/65R14	79T	5J	170	570	437	963	300/44	BSW	YES	YES	YES
165/70R14	81T	5J	170	588	462	1019	300/44	BSW	YES	YES	YES
175/65R14	82T	5J	177	584	475	1047	300/44	BSW	YES	YES	YES
175/70R14	84T	5J	177	602	500	1102	300/44	BSW	YES	YES	YES
185/55R14	80H	6J	194	560	450	992	300/44	BSW	YES	YES	YES
185/60R14	82T	5 1/2J	189	578	475	1047	300/44	BSW	YES	YES	YES
185/65R14	86T	5 1/2J	189	596	530	1168	300/44	BSW	YES	YES	YES
185/70R14	88T	5 1/2J	189	616	560	1235	300/44	BSW	YES	YES	YES
195/60R14	86H	6 J	201	590	530	1168	300/44	BSW	YES	YES	YES
195/65R14	89H	6J	201	610	580	1279	300/44	BSW	YES	YES	YES
195/70R14	91T	6J	201	630	615	1356	300/44	BSW	YES	YES	YES
165/60R15	81HXL	5J	170	579	462	1019	340/50	BSW	YES	YES	YES
165/65R15	81T	5J	170	595	462	1019	300/44	BSW	YES	YES	YES
175/55R15	77H	5 1/2J	182	573	412	908	300/44	BSW	YES	YES	YES
175/60R15	81H	5J	177	591	462	1019	300/44	BSW	YES	YES	YES
175/65R15	84T	5J	177	609	500	1102	300/44	BSW	YES	YES	YES
185/55R15	82H	6 J	194	585	475	1047	300/44	BSW	YES	YES	YES
185/60R15	84H	5 1/2J	189	603	500	1102	300/44	BSW	YES	YES	YES
185/65R15	88T	5 1/2J	189	621	560	1235	300/44	BSW	YES	YES	YES
195/50R15	82V	6 J	201	577	475	1047	300/44	BSW	YES	YES	YES
195/55R15	85H	6 J	201	595	515	1135	300/44	BSW	YES	YES	YES
195/60R15	88H	6 J	201	615	560	1235	300/44	BSW	YES	YES	YES
195/65R15	95TXL	6J	201	635	690	1521	340/50	BSW	YES	YES	YES
205/60R15	91H	6J	209	627	615	1356	300/44	BSW	YES	YES	YES
205/65R15	94H	6 J	209	647	670	1477	300/44	BSW	YES	YES	YES
205/70R15	96T	6J	209	669	710	1565	300/44	BSW	YES	YES	YES
215/65R15	96H	6 1/2J	221	661	710	1565	300/44	BSW	YES	YES	YES
185/50R16	81V	6J	194	592	462	1019	300/44	BSW	YES	YES	YES
185/55R16	83H	6J	194	610	487	1074	300/44	BSW	YES	YES	YES



WINTERHAWKE I

MAX ALL THE ROAD

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
					(kg)	(Lbs)					
185/60R16	86H	5 1/2J	189	628	530	1168	300/44	BSW	YES	YES	YES
195/45R16	84VXL	6 1/2J	195	582	500	1102	340/50	BSW	YES	YES	YES
195/50R16	84V	6J	201	602	500	1102	300/44	BSW	YES	YES	YES
195/55R16	91HXL	6J	201	620	615	1356	340/50	BSW	YES	YES	YES
205/45R16	87VXL	7J	206	590	545	1201	340/50	BSW	YES	YES	YES
205/50R16	91VXL	6 1/2J	214	612	615	1356	340/50	BSW	YES	YES	YES
205/55R16	91H	6 1/2J	214	632	615	1356	300/44	BSW	YES	YES	YES
205/60R16	92H	6 J	209	652	630	1389	300/44	BSW	YES	YES	YES
205/65R16	95H	6 J	209	672	690	1521	300/44	BSW	YES	YES	YES
215/45R16	90VXL	7J	213	600	600	1323	340/50	BSW	YES	YES	YES
215/55R16	97HXL	7J	226	642	730	1609	340/50	BSW	YES	YES	YES
215/60R16	99HXL	6 1/2J	221	664	775	1709	340/50	BSW	YES	YES	YES
215/65R16	98T	6 1/2J	221	686	750	1653	300/44	BSW	YES	YES	YES
225/55R16	95H	7 J	233	654	690	1521	300/44	BSW	YES	YES	YES
225/60R16	98H	6 1/2J	228	676	750	1653	300/44	BSW	YES	YES	YES
225/65R16	100T	6 1/2J	228	698	800	1764	300/44	BSW	YES	YES	YES
205/40R17	84VXL	7 1/2J	212	596	500	1102	340/50	BSW	YES	YES	YES
205/45R17	88VXL	7 J	206	616	560	1235	340/50	BSW	YES	YES	YES
205/50R17	93HXL	6 1/2J	214	638	650	1433	340/50	BSW	YES	YES	YES
205/55R17	95HXL	6 1/2J	214	658	690	1521	340/50	BSW	YES	YES	YES
215/40R17	87VXL	7 1/2J	218	604	545	1201	340/50	BSW	YES	YES	YES
215/45R17	91VXL	7 J	213	626	615	1356	340/50	BSW	YES	YES	YES
215/50R17	95HXL	7J	226	648	690	1521	340/50	BSW	YES	YES	YES
215/55R17	98VXL	7J	226	668	750	1653	340/50	BSW	YES	YES	YES
225/45R17	94VXL	7 1/2J	225	634	670	1477	340/50	BSW	YES	YES	YES
225/50R17	98HXL	7J	233	658	750	1653	340/50	BSW	YES	YES	YES
225/55R17	101HXL	7 J	233	680	825	1819	340/50	BSW	YES	YES	YES
235/45R17	97HXL	8J	236	644	730	1609	340/50	BSW	YES	YES	YES
235/55R17	103HXL	7 1/2J	245	690	875	1929	340/50	BSW	YES	YES	YES
245/40R17	95VXL	8 1/2J	248	628	690	1521	340/50	BSW	YES	YES	YES
245/45R17	99VXL	8 J	243	652	775	1709	340/50	BSW	YES	YES	YES
215/45R18	93VXL	7J	213	651	650	1433	340/50	BSW	YES	YES	YES
215/55R18	99HXL	7 J	226	693	775	1709	340/50	BSW	YES	YES	YES
225/40R18	92HXL	8J	230	637	630	1389	340/50	BSW	YES	YES	YES
225/45R18	95HXL	7 1/2J	225	659	690	1521	340/50	BSW	YES	YES	YES
225/50R18	99HXL	7J	233	683	775	1709	340/50	BSW	YES	YES	YES
225/55R18	98H	7J	233	705	750	1653	300/44	BSW	YES	YES	YES
235/40R18	95VXL	8 1/2J	241	645	690	1521	340/50	BSW	YES	YES	YES
235/45R18	98HXL	8J	236	669	750	1653	340/50	BSW	YES	YES	YES
235/50R18	97V	7 1/2J	245	693	730	1609	300/44	BSW	YES	YES	YES
235/55R18	104HXL	7 1/2J	245	715	900	1984	340/50	BSW	YES	YES	YES
245/40R18	97VXL	8 1/2J	248	653	730	1609	340/50	BSW	YES	YES	YES
245/45R18	100HXL	8J	243	677	800	1764	340/50	BSW	YES	YES	YES
245/50R18	104HXL	7 1/2J	253	703	900	1984	340/50	BSW	YES	YES	YES
255/40R18	99HXL	9J	260	661	775	1709	340/50	BSW	YES	YES	YES
255/45R18	99V	8 1/2J	255	687	775	1709	300/44	BSW	YES	YES	YES
225/40R19	93VXL	8J	230	663	650	1433	340/50	BSW	YES	YES	YES
225/45R19	96VXL	7 1/2J	225	685	710	1565	340/50	BSW	YES	YES	YES
225/55R19	99H	7J	233	731	775	1709	300/44	BSW	YES	YES	YES
235/35R19	91VXL	8 1/2J	241	647	615	1356	340/50	BSW	YES	YES	YES
235/45R19	99VXL	8J	236	695	775	1709	340/50	BSW	YES	YES	YES
235/50R19	103VXL	7 1/2J	245	719	875	1929	340/50	BSW	YES	YES	YES
235/55R19	105HXL	7 1/2J	245	741	925	2039	340/50	BSW	YES	YES	YES
245/40R19	98VXL	8 1/2J	248	679	750	1653	340/50	BSW	YES	YES	YES
245/45R19	102HXL	8J	243	703	850	1874	340/50	BSW	YES	YES	YES
245/50R19	105HXL	7 1/2J	253	729	925	2039	340/50	BSW	YES	YES	YES
255/35R19	96VXL	9J	260	661	710	1565	340/50	BSW	YES	YES	YES
255/40R19	100HXL	9J	260	687	800	1764	340/50	BSW	YES	YES	YES
255/45R19	104HXL	8 1/2J	255	713	900	1984	340/50	BSW	YES	YES	YES
235/55R20	105HXL	7 1/2J	245	766	925	2039	340/50	BSW	YES	YES	YES
245/35R20	95VXL	8 1/2J	248	680	690	1521	340/50	BSW	YES	YES	YES
245/40R20	99VXL	8 1/2J	248	704	775	1709	340/50	BSW	YES	YES	YES
245/45R20	103VXL	8J	243	728	875	1929	340/50	BSW	YES	YES	YES
245/50R20	105HXL	7 1/2J	253	754	925	2039	340/50	BSW	YES	YES	YES
255/35R20	97VXL	9J	260	686	730	1609	340/50	BSW	YES	YES	YES
255/40R20	101VXL	9J	260	712	825	1819	340/50	BSW	YES	YES	YES
255/45R20	105VXL	8 1/2J	255	738	925	2039	340/50	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice







WINTERHAWKE II

MAX ALL THE ROAD

WINTER

SERIES
35 ~ 55

INCH
18 ~ 22

SPEED SYMBOL
H ~ (V)

UTQG
---/-/-

ICE & SNOW | HANDLING | BRAKING | SECURITY

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
					(kg)	(Lbs)					
255/55R18	109HXL	8J	265	737	1030	2271	340/50	BSW	YES	YES	YES
265/35R18	97VXL	9 1/2J	271	643	730	1609	340/50	BSW	YES	YES	YES
245/55R19	107HXL	7 1/2J	253	753	975	2149	340/50	BSW	YES	YES	YES
255/50R19	107HXL	8J	265	739	975	2149	340/50	BSW	YES	YES	YES
255/55R19	111HXL	8J	265	763	1090	2403	340/50	BSW	YES	YES	YES
275/35R19	100VXL	9 1/2J	278	675	800	1764	340/50	BSW	YES	YES	YES
275/40R19	105VXL	9 1/2J	278	703	925	2039	340/50	BSW	YES	YES	YES
285/45R19	111HXL	9 1/2J	285	739	1090	2403	340/50	BSW	YES	YES	YES
255/50R20	109HXL	8J	265	764	1030	2271	340/50	BSW	YES	YES	YES
255/55R20	110HXL	8J	265	788	1060	2337	340/50	BSW	YES	YES	YES
265/45R20	108HXL	9J	266	746	1000	2205	340/50	BSW	YES	YES	YES
275/35R20	102HXL	9 1/2J	278	700	850	1874	340/50	BSW	YES	YES	YES
275/40R20	106HXL	9 1/2J	278	728	950	2094	340/50	BSW	YES	YES	YES
275/45R20	110HXL	9J	273	756	1060	2337	340/50	BSW	YES	YES	YES
275/50R20	113HXL	8 1/2J	284	784	1150	2535	340/50	BSW	YES	YES	YES
275/55R20	117SXL	8 1/2J	284	810	1285	2833	340/50	BSW	YES	YES	YES
285/50R20	116HXL	9J	297	794	1250	2756	340/50	BSW	YES	YES	YES
305/40R20	112HXL	11J	313	752	1120	2469	340/50	BSW	YES	YES	YES
315/35R20	110VXL	11J	320	728	1060	2337	340/50	BSW	YES	YES	YES
265/45R21	108HXL	9J	266	771	1000	2205	340/50	BSW	YES	YES	YES
275/40R21	107HXL	9 1/2J	278	753	975	2149	340/50	BSW	YES	YES	YES
275/45R21	110HXL	9J	273	781	1060	2337	340/50	BSW	YES	YES	YES
275/50R21	113HXL	8 1/2J	284	809	1150	2535	340/50	BSW	YES	YES	YES
285/40R21	109HXL	10J	290	761	1030	2271	340/50	BSW	YES	YES	YES
295/35R21	107HXL	10 1/2J	301	739	975	2149	340/50	BSW	YES	YES	YES
295/40R21	111HXL	10 1/2J	301	769	1090	2403	340/50	BSW	YES	YES	YES
315/35R21	111HXL	11J	320	753	1090	2403	340/50	BSW	YES	YES	YES
315/40R21	115HXL	11J	320	785	1215	2679	340/50	BSW	YES	YES	YES
275/40R22	107HXL	9 1/2J	278	779	975	2149	340/50	BSW	YES	YES	YES
245/40R19	98VXL	8 1/2J	248	679	750	1653	340/50	BSW	YES	YES	YES
245/45R19	102HXL	8J	243	703	850	1874	340/50	BSW	YES	YES	YES
245/40R20	99VXL	8 1/2J	248	704	775	1709	340/50	BSW	YES	YES	YES
245/45R20	103VXL	8J	243	728	875	1929	340/50	BSW	YES	YES	YES
255/45R20	105VXL	8 1/2J	255	738	925	2039	340/50	BSW	YES	YES	YES
245/40R19	98VXL	8 1/2J	248	679	750	1653	340/50	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



ICEPIONEER 989

MAX ALL THE ROAD

WINTER

SERIES
60 ~ 75

INCH
14 ~ 16

SPEED SYMBOL
R ~ (H)

UTQG
---/-/-

ICE & SNOW | WEAR RESISTING | BRAKING | SECURITY

Size	LI/SI	PR	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
						(kg)	(Lbs)					
165/70R14C	89/87R	6	5J	170	588	580/545	1279/1202	375/54	BSW	YES	YES	YES
175/65R14C	90/88T	6	5J	177	584	600/560	1323/1235	375/54	BSW	YES	YES	YES
175/70R14C	95/93T	6	5J	177	602	690/650	1521/1433	375/54	BSW	YES	YES	YES
175R14C	99/97R	8	5J	177	636	775/730	1709/1609	450/65	BSW	YES	YES	YES
185R14C	102/100R	8	5 1/2J	188	650	850/800	1874/1764	450/65	BSW	YES	YES	YES
195/70R15C	104/102R	8	6J	201	655	900/850	1984/1874	450/65	BSW	YES	YES	YES
205/70R15C	106/104R	8	6J	209	669	950/900	2094/1984	450/65	BSW	YES	YES	YES
215/65R15C	104/102R	6	6 1/2J	221	661	900/850	1984/1874	375/54	BSW	YES	YES	YES
215/70R15C	109/107R	8	6 1/2J	221	683	1030/975	2271/2149	450/65	BSW	YES	YES	YES
225/70R15C	112/110R	8	6 1/2J	228	697	1120/1060	2469/2337	450/65	BSW	YES	YES	YES
175/75R16C	98/96R	6	5J	177	668	750/710	1653/1565	375/54	BSW	YES	YES	YES
185/75R16C	104/102R	8	5J	184	684	900/850	1984/1874	475/69	BSW	YES	YES	YES
195/60R16C	99/97H	6	6J	201	640	775/730	1709/1609	375/54	BSW	YES	YES	YES
195/65R16C	104/102R	8	6J	201	660	900/850	1984/1874	475/69	BSW	YES	YES	YES
195/75R16C	107/105R	8	5 1/2J	196	698	975/925	2149/2039	475/69	BSW	YES	YES	YES
205/65R16C	107/105R	8	6J	209	672	975/925	2149/2039	475/69	BSW	YES	YES	YES
205/75R16C	110/108R	8	5 1/2J	203	714	1060/1000	2337/2204	475/69	BSW	YES	YES	YES
215/60R16C	103/101T	6	6 1/2J	221	664	875/825	1929/1819	375/54	BSW	YES	YES	YES
215/65R16C	109/107R	8	6 1/2J	221	686	1030/975	2271/2149	475/69	BSW	YES	YES	YES
215/75R16C	113/111R	8	6J	216	728	1150/1090	2535/2403	475/69	BSW	YES	YES	YES
225/65R16C	112/110R	8	6 1/2J	228	698	1120/1060	2469/2337	475/69	BSW	YES	YES	YES
225/75R16C	116/114R	8	6J	223	744	1250/1180	2756/2601	475/69	BSW	YES	YES	YES
235/65R16C	115/113R	8	7J	240	712	1215/1150	2679/2535	475/69	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



NEW

WINTERNOVA STUD I

MAX ALL THE ROAD



STUDDED

SERIES
55 ~ 70

INCH
13 ~ 16


SPEED SYMBOL
T ~ (H)

UTQG
---/-/-

ICE & SNOW | CONTROL | BRAKING | SECURITY

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
					(kg)	(Lbs)					
155/70R13	75T	4.50B	157	548	387	853	300/44	BSW	YES	YES	YES
175/70R13	82T	5.00B	177	576	475	1047	300/44	BSW	YES	YES	YES
175/65R14	86T XL	5J	177	584	530	1168	340/50	BSW	YES	YES	YES
175/70R14	84T	5J	177	602	500	1102	300/44	BSW	YES	YES	YES
185/60R14	82T	5 1/2J	189	578	475	1047	300/44	BSW	YES	YES	YES
185/65R14	90T XL	5 1/2J	189	596	600	1323	340/50	BSW	YES	YES	YES
185/70R14	92T XL	5 1/2J	189	616	630	1389	340/50	BSW	YES	YES	YES
185/55R15	86T XL	6J	194	585	530	1168	340/50	BSW	YES	YES	YES
185/60R15	88T XL	5 1/2J	189	603	560	1235	340/50	BSW	YES	YES	YES
185/65R15	88T	5 1/2J	189	621	560	1235	300/44	BSW	YES	YES	YES
195/55R15	85H	6J	201	595	515	1135	300/44	BSW	YES	YES	YES
195/60R15	92T XL	6J	201	615	630	1389	340/50	BSW	YES	YES	YES
195/65R15	95TXL	6J	201	635	690	1521	340/50	BSW	YES	YES	YES
205/65R15	94T	6J	209	647	670	1477	300/44	BSW	YES	YES	YES
195/55R16	91TXL	6J	201	620	615	1356	340/50	BSW	YES	YES	YES
205/55R16	94T XL	6 1/2J	214	632	670	1477	340/50	BSW	YES	YES	YES
205/60R16	96T XL	6J	209	652	710	1565	340/50	BSW	YES	YES	YES
205/65R16	95T	6 J	209	672	690	1519	300/44	BSW	YES	YES	YES
215/55R16	97T XL	7J	226	642	730	1609	340/50	BSW	YES	YES	YES
215/60R16	99T XL	6 1/2J	221	664	775	1709	340/50	BSW	YES	YES	YES
215/65R16	102TXL	6 1/2J	221	686	850	1874	340/50	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice



NEW



WINTERNOVA STUD II

MAX ALL THE ROAD

STUDDED

SERIES
35 ~ 55

INCH
17 ~ 22

SPEED SYMBOL
T ~ (H)

UTQG
---/-/-

ICE & SNOW | CONTROL | BRAKING | SECURITY

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
					(kg)	(Lbs)					
205/50R17	93T XL	6 1/2J	214	638	650	1433	340/50	BSW	YES	YES	YES
205/55R17	95TXL	6 1/2J	214	658	690	1519	340/50	BSW	YES	YES	YES
215/45R17	91TXL	7 J	213	626	615	1354	340/50	BSW	YES	YES	YES
215/50R17	95T XL	7J	226	648	690	1521	340/50	BSW	YES	YES	YES
215/55R17	98T XL	7J	226	668	750	1653	340/50	BSW	YES	YES	YES
225/45R17	94H XL	7 1/2J	225	634	670	1477	340/50	BSW	YES	YES	YES
225/50R17	98H XL	7J	233	658	750	1653	340/50	BSW	YES	YES	YES
225/55R17	101HXL	7J	233	680	825	1819	340/50	BSW	YES	YES	YES
235/45R17	97TXL	8 J	236	644	730	1607	340/50	BSW	YES	YES	YES
235/55R17	103TXL	7 1/2J	245	690	875	1926	340/50	BSW	YES	YES	YES
215/55R18	95T	7J	226	693	690	1521	300/44	BSW	YES	YES	YES
225/40R18	92TXL	8J	230	637	630	1389	340/50	BSW	YES	YES	YES
225/45R18	95T XL	7 1/2J	225	659	690	1521	340/50	BSW	YES	YES	YES
225/50R18	99TXL	7J	233	683	775	1706	340/50	BSW	YES	YES	YES
225/55R18	102TXL	7 J	233	705	850	1871	340/50	BSW	YES	YES	YES
235/45R18	98TXL	8J	236	669	750	1653	340/50	BSW	YES	YES	YES
235/50R18	101TXL	7 1/2J	245	693	825	1816	340/50	BSW	YES	YES	YES
245/40R18	97T XL	8 1/2J	248	653	730	1607	340/50	BSW	YES	YES	YES
245/45R18	100T XL	8J	243	677	800	1764	340/50	BSW	YES	YES	YES
265/35R18	97TXL	9 1/2J	271	643	730	1607	340/50	BSW	YES	YES	YES
225/40R19	93T XL	8J	230	663	650	1433	340/50	BSW	YES	YES	YES
225/55R19	103TXL	7 J	233	731	875	1926	340/50	BSW	YES	YES	YES
235/35R19	91TXL	8 1/2J	241	647	615	1356	340/50	BSW	YES	YES	YES
235/40R19	96T XL	8 1/2J	241	671	710	1565	340/50	BSW	YES	YES	YES
235/50R19	103TXL	7 1/2J	245	719	875	1926	340/50	BSW	YES	YES	YES
245/40R19	98TXL	8 1/2J	248	679	750	1651	340/50	BSW	YES	YES	YES
245/45R19	98T	8J	243	703	750	1653	300/44	BSW	YES	YES	YES
255/35R19	96T XL	9J	260	661	710	1565	340/50	BSW	YES	YES	YES
255/40R19	100T XL	9J	260	687	800	1761	340/50	BSW	YES	YES	YES
255/45R19	104T XL	8 1/2J	255	713	900	1981	340/50	BSW	YES	YES	YES

WINTERNOVA STUD II

MAX ALL THE ROAD



Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
					(kg)	(Lbs)					
255/50R19	103T	8J	265	739	875	1929	300/44	BSW	YES	YES	YES
275/35R19	100TXL	9 1/2J	278	675	800	1761	340/50	BSW	YES	YES	YES
285/45R19	111TXL	9 1/2J	285	739	1090	2400	340/50	BSW	YES	YES	YES
235/55R20	102T	7 1/2J	245	766	850	1871	300/44	BSW	YES	YES	YES
245/40R20	99TXL	8 1/2J	248	704	775	1706	340/50	BSW	YES	YES	YES
245/50R20	105TXL	7 1/2J	253	754	925	2036	340/50	BSW	YES	YES	YES
255/35R20	97TXL	9J	260	686	730	1607	340/50	BSW	YES	YES	YES
255/40R20	101TXL	9J	260	712	825	1819	340/50	BSW	YES	YES	YES
255/45R20	101T	8 1/2J	255	738	825	1819	300/44	BSW	YES	YES	YES
255/50R20	109TXL	8J	265	764	109	240	340/50	BSW	YES	YES	YES
265/50R20	107T	8 1/2J	277	774	975	2149	300/44	BSW	YES	YES	YES
275/35R20	102TXL	9 1/2J	278	700	850	1871	340/50	BSW	YES	YES	YES
275/40R20	102T	9 1/2J	278	728	850	1874	300/44	BSW	YES	YES	YES
275/45R20	110T XL	9J	273	756	1060	2337	340/50	BSW	YES	YES	YES
275/50R20	113TXL	8 1/2J	284	784	1150	2535	340/50	BSW	YES	YES	YES
285/50R20	112T	9J	297	794	1120	2469	300/44	BSW	YES	YES	YES
305/40R20	112T XL	11J	313	752	1120	2469	340/50	BSW	YES	YES	YES
315/35R20	106T	11J	320	728	950	2094	300/44	BSW	YES	YES	YES
275/40R21	107TXL	9 1/2J	278	753	975	2147	340/50	BSW	YES	YES	YES
275/45R21	110T XL	9J	273	781	1060	2334	340/50	BSW	YES	YES	YES
285/40R21	109T XL	10J	290	761	1030	2271	340/50	BSW	YES	YES	YES
285/45R21	113T XL	9 1/2J	285	789	1030	2268	340/50	BSW	YES	YES	YES
295/35R21	107TXL	10 1/2J	301	739	975	2149	340/50	BSW	YES	YES	YES
295/40R21	107T	10 1/2J	301	769	975	2149	300/44	BSW	YES	YES	YES
315/35R21	111T XL	11J	320	753	1090	2403	340/50	BSW	YES	YES	YES
315/40R21	111T	11J	320	785	1090	2403	300/44	BSW	YES	YES	YES
275/40R22	107TXL	9 1/2J	278	779	975	2147	340/50	BSW	YES	YES	YES
285/45R22	114TXL	9 1/2J	285	815	1180	2598	340/50	BSW	YES	YES	YES
275/50R22	115TXL	8 1/2J	284	835	1215	2675	340/50	BSW	YES	YES	YES
255/35R18	94TXL	9 J	260	635	670	1477	340/50	BSW	YES	YES	YES

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
					(kg)	(Lbs)					
255/40R18	99TXL	9J	260	661	775	1709	340/50	BSW	YES	YES	YES
275/40R18	103TXL	9 1/2J	278	677	875	1929	340/50	BSW	YES	YES	YES
275/40R19	105TXL	9 1/2J	278	703	925	2039	340/50	BSW	YES	YES	YES
245/45R20	103TXL	8J	243	728	875	1929	340/50	BSW	YES	YES	YES
315/35R22	111TXL	11J	320	779	1090	2403	340/50	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice





NEW



WINTERNOVA STUD II

MAX ALL THE ROAD

STUDDED

SERIES
55 ~ 75

INCH
16 ~ 20

SPEED SYMBOL
Q ~ (T)

UTQG
---/-/-

ICE & SNOW | CONTROL | BRAKING | SECURITY

Size	LI/SI	Rim	SW (mm)	OD (mm)	Load Index		Max Pressure Kpa/Psi	Sidewall			
					(kg)	(Lbs)					
215/70R16	100T	6 1/2J	221	708	800	1764	300/44	BSW	YES	YES	YES
225/70R16	107TXL	6 1/2J	228	722	975	2149	340/50	BSW	YES	YES	YES
245/70R16	111TXL	7 J	248	750	1090	2403	340/50	BSW	YES	YES	YES
215/60R17	100TXL	6 1/2J	221	690	800	1761	340/50	BSW	YES	YES	YES
215/65R17	103TXL	6 1/2J	221	712	875	1929	340/50	BSW	YES	YES	YES
225/60R17	103T XL	6 1/2J	228	702	875	1926	340/50	BSW	YES	YES	YES
225/65R17	106TXL	6 1/2J	228	724	950	2094	340/50	BSW	YES	YES	YES
235/65R17	108TXL	7J	240	738	1000	2205	340/50	BSW	YES	YES	YES
265/65R17	112T	8J	272	776	1120	2469	300/44	BSW	YES	YES	YES
225/60R18	104TXL	6 1/2J	228	727	900	1981	340/50	BSW	YES	YES	YES
235/55R18	104TXL	7 1/2J	245	715	900	1981	340/50	BSW	YES	YES	YES
235/60R18	103T	7J	240	739	875	1929	300/44	BSW	YES	YES	YES
245/60R18	109TXL	7 J	248	751	1030	2268	340/50	BSW	YES	YES	YES
255/55R18	109TXL	8 J	265	737	1030	2268	340/50	BSW	YES	YES	YES
265/60R18	114TXL	8 J	272	775	1180	2598	340/50	BSW	YES	YES	YES
235/55R19	105TXL	7 1/2J	245	741	925	2039	340/50	BSW	YES	YES	YES
245/55R19	107TXL	7 1/2J	253	753	975	2147	340/50	BSW	YES	YES	YES
255/55R19	107T	8J	265	763	975	2149	300/44	BSW	YES	YES	YES
255/55R20	110TXL	8J	265	788	1060	2334	340/50	BSW	YES	YES	YES
275/55R20	117TXL	8 1/2J	284	810	1285	2829	340/50	BSW	YES	YES	YES
185/75R16C	104/102R 8PR	5J	184	684	900/850	1985/1875	475/69	BSW	YES	YES	YES
195/75R16C	107/105R 8PR	5 1/2J	196	698	975/925	2150/2040	475/69	BSW	YES	YES	YES
225/75R16C	116/114R 8PR	6J	223	744	1250/1180	2755/2600	475/69	BSW	YES	YES	YES
LT225/75R16	115/112Q 10PR	6J	223	744	1215/1120	2680/2470	550/80	BSW	YES	YES	YES
235/65R16C	121/119R	7J	240	712	1450/1360	3197/2998	575/83	BSW	YES	YES	YES
245/75R16	111T	5J	248	774	1090	2403	300/44	BSW	YES	YES	YES
LT245/75R16	120/116Q 10PR	7J	248	774	1380/1260	3042/2778	550/80	BSW	YES	YES	YES
265/70R17	115T	8J	272	804	1215	2679	300/44	BSW	YES	YES	YES
LT265/70R17	121/118Q 10PR	8J	272	804	1450/1320	3197/2910	550/80	BSW	YES	YES	YES
275/65R18	116T	10	8 J	279	815	1797	300/44	BSW	YES	YES	YES
LT275/65R18	123/120Q 10PR	8J	279	815	1550/1400	3417/3086	550/80	BSW	YES	YES	YES
275/60R20	115T	8J	279	838	1215	2679	300/44	BSW	YES	YES	YES
LT275/60R20	123/120Q 10PR	8J	279	838	1550/1400	3417/3086	550/80	BSW	YES	YES	YES

* New Developing Sizes/ The Labeling Information are Subject to Change Without Notice